



()

[] (✓) [] [] [] [] [] []
[] [] []) ()

「 」 3 2

1.

	()		
	23-102640		66
	2023-06-07		2023-06-08

2.

가 .

	-

「 」 3 2

1.

	()		
	23-102640		66
	2023-06-07		2023-06-08

2.

가 .

	-

		()	
1		100FU (FU mL)	0
2		(/100mL)	
3		(/100mL)	
4		0.01 (mg/L)	
5		1.5 (mg/L)	

		()	
6		0.01 (n g L)	
7		0.01 (n g L)	
8		0.001 (n g L)	
9		0.01 (n g L)	
10		0.05 (n g L)	
11		0.5 (n g L)	
12		10 (n g L)	2.1
13		1 (n g L)	0.02
14		0.005 (n g L)	
15		0.005 (n g L)	
16		0.02 (n g L)	
17		0.06 (n g L)	
18		0.04 (n g L)	
19		0.07 (n g L)	
20		0.1 (n g L)	0.028
21		0.08 (n g L)	0.023
22	1,1,1-	0.1 (n g L)	
23		0.01 (n g L)	
24		0.03 (n g L)	
25		0.03 (n g L)	0.005
26		0.1 (n g L)	
27		0.02 (n g L)	
28		0.01 (n g L)	
29		0.7 (n g L)	
30		0.3 (n g L)	
31		0.5 (n g L)	
32	1,1-	0.03 (n g L)	
33		0.002 (n g L)	
34	1,2- -3-	0.003 (n g L)	
35		0.03 (n g L)	0.0048
36		0.1 (n g L)	
37		0.09 (n g L)	0.0018
38		0.004 (n g L)	
39		0.1 (n g L)	0.027
40		4.0 (n g L)	0.98
41		300 (n g L)	73
42		10 (n g L)	1.8
43		(-)	
44		(-)	
45	(ç u)	1 (n g L)	
46		5 ()	

